

Crimp specification				
Type Document	Crimp Specification	Revised /Edition	A2	
Date Issued:	2020/11/05	Data Revised:	2024/04/30	
Subject: 2006T-PSNB			Issued By:	
2.00mm Pitch Terminal crimp specification			Engineering Dept.	

### Description:


Height and width of conductor crimp core should be set as required.

(conductor crimp height and width of conductor barrel)

According to the external diameter and the type of electric wire, the width of crimped sheath shall be adjusted, wire won't be easily taken off from contact nor too much crimped.

(Crimped width of insulation barrel)

## Position Graph:



#### Note:

- 1. Conductor crimp width. W1
- 2. Conductor crimp height. H1
- 3. Insulator crimp width. W2
- 4. Insulator crimp height. H2
- 5. Conductor wire shall be dimension long (mm) out A.
- 6. Naked part of sheathed wire must be located in the vicinity of center B.
- 7. The Crimp mouth must be equipped like bell.



Crimp specification				
Type Document	Crimp Specification	Revised /Edition	A2	
Date Issued:	2020/11/05	Data Revised:	2024/04/30	
Subject: 2006T-PSNB			Issued By:	
2.00mm Pitch Terminal crimp specification			Engineering Dept.	

# Requirement:

Subject:UL1061 or equivalent type electric wire							
AWG#	Conductor (mm²)	Insulation Diameter	Insulator skins length (Dim .B) mm	Copper wire leakage size (Dim .A) mm		Dim. L1 (mm) out	
#28~#22	0.08mm <sup>2</sup> ~0.325mm <sup>2</sup>	1.50mm(max)	0.30mm~0.60mm	0.10mm~0.50mm		1.60mm~2.0mm	
Wire Gauge	Wire Gauge Conductor Crimp Area		Insulator Crimp Area		Te	Terminal Tensile	
(AWG#)	Width (W1)	Height(H1)	Width (W2)	Height(H2)	Strength		
#22		0.75±0.03mm		1.65±0.05mm		5.0kgf	
#24	- 1.15±0.03mm -	0.66±0.03mm	1.47±0.05mm	1.55±0.05mm	3.0kgf		
#26		0.62±0.03mm		1.45±0.05mm		2.0kgf	
#28		0.55±0.03mm	1.47±0.05mm	1.40±0.05mm		1.0kgf	

## Remarks

- 1. Unalike equipment and crimp reel molds skill facility or not shall be difference to result in dissimilar.
- 2. This crimping specification is not limited to material changes.
- 3. 28AWG only meets tensile standards.

Signature: _	<u>7X</u>	ENG	
Donaguan SE	SO Techn	oloav CoLt	C



Crimp specification			
Type Document	Crimp Specification	Revised /Edition	A2
Date Issued:	2020/11/05	Data Revised:	2024/04/30
Subject: 2006T-PSNB			Issued By:
2.00mm Pitch Terminal crimp specification			Engineering Dept.

Date	REV	DESCRIPTION	MODIFY	APPROVAL
2020/11/05	А	Initial Issued	/	Kim Huang
2023/07/29	A1	Modify the H1 press height	Fx	Kim Huang
2024/04/30	A2	Added 28AWG crimping parameters	Fx	Kim Huang